Docket No.: M4065.0697/P697-A (PATENT)

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of: John T. Moore et al.

Application No.: Not Yet Assigned

Confirmation No.:

Filed: February 10, 2004

Art Unit: N/A

For:

METHODS OF METAL DOPING

CHALCOGENIDE MATERIAL

Examiner: Not Yet Assigned

### **INFORMATION DISCLOSURE STATEMENT (IDS)**

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

Pursuant to 37 CFR 1.56, 1.97 and 1.98, the attention of the Patent and Trademark Office is hereby directed to the references listed on the attached PTO/SB/08. It is respectfully requested that the information be expressly considered during the prosecution of this application, and that the references be made of record therein and appear among the "References Cited" on any patent to issue therefrom.

This Information Disclosure Statement accompanies the new patent application submitted herewith.

Copies of the references on the PTO/SB/08 are not provided.

Those patent(s) or publication(s) which are marked with a double asterisk (\*\*) next to the Cite No. in the attached form PTO/SB/08 (facsimile) are not supplied because they were previously cited by or submitted to the Office in a prior application

Application No.: Not Yet Assigned Docket No.: M4065.0697/P697-A

number 09/797,635, filed March 1, 2001 and relied upon in this application for an earlier filing date under 35 U.S.C. 120.

In accordance with 37 CFR 1.97(g), the filing of this Information Disclosure Statement shall not be construed to mean that a search has been made or that no other material information as defined in 37 CFR 1.56(a) exists. In accordance with 37 CFR 1.97(h), the filing of this Information Disclosure statement shall not be construed to be an admission that any patent, publication or other information referred to therein is "prior art" for this invention unless specifically designated as such.

It is submitted that the Information Disclosure Statement is in compliance with 37 CFR 1.98 and the Examiner is respectfully requested to consider the listed references.

The Director is hereby authorized to charge any deficiency in the fees filed, asserted to be filed or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Deposit Account No. 04-1073, under Order No. M4065.0697/P697-A. A duplicate copy of this paper is enclosed.

Dated: February 10, 2004

Respectfully submitted,

Thomas J. D'Amico

Registration No.: 28,371

DICKSTEIN SHAPIRO MORIN &

OSHINSKY LLP

2101 L Street NW

Washington, DC 20037-1526

(202) 785-9700

Attorney for Applicant

Approved for use through 10/31/2002.OMB 0851-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Sut	ostitute for form 1449A/PTO	r		C mplete if Known		
١,,	VICODA A TION		CCI OCUDE	Application Number	Not Yet Assigned	
1	VFORMATION	_		Filing Date	February 10, 2004	
١ ٥	STATEMENT B	JY /	APPLICANT	First Named Inventor	John T. Moore	
	(use as many she	eets as	; necessary)	Art Unit	Not Yet Assigned	
				Examiner Name	Not Yet Assigned	
Sheet	1	of	8	Attorney Docket Number	M4065.0697-A	

			U.S. PA	TENT DOCUMENTS	
Examiner Initials*	Cite No. <sup>1</sup>	Document Number  Number-Kind Code <sup>2</sup> (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	AA	6,388,324	05/14/2002	Kozicki et al. **	
	AB	US 2002/0000666	01/03/2002	Kozicki et al. **	
	AC	5,500,532	03/19/1996	Kozicki et al. **	
	AD	US 2002/0168820	11/14/2002	Kozicki et al. **	
	AE	6,469,364	10/22/2002	Kozicki **	
	AF	US-2003/0137896-A1	07-24-2003	Kozicki **	
	AG	6,473,332	10/2002	Ignatiev et al. **	
	AH	6,469,364	10/2002	Kozicki **	
	ΑI	2002/0168820 App.	11/2002	Kozicki **	
	AJ	4,419,421	12/1983	Wichelhaus, et al. **	
	AK	6,487,106	11/26/2002	Kozicki **	
	AL	5,314,772	5/24/1994	Kozicki **	
	AM	2002/0190350 APP	12/19/2002	Kozicki **	
	AN	2003/0027416 APP	2/6/2003	Moore **	
	AO	2003/0001229 APP	1/2/2003	Moore et al. **	
	AP	2002/0127886 APP	9/12/2002	Moore et al. **	
	AQ	2002/0123170 APP	9/5/2002	Moore et al. **	
	AR	2002/0163828 APP	11/2002	Krieger et al. **	
	AS	6,072,716	6/2000	Jacobson et al. **	
	AT	5,272,359	12/93	Nagasubramanian et al. **	
	AU.	4,671,618	6/87	Wu et al. **	
	AV	4,800,526	1/89	Lewis **	
	AW	2003/0035314	02/20/03	Kozicki **	
	AX	2003/0035315	02/20/03	Kozicki **	

		FOREI	GN PATENT	DOCUMENTS		
Examiner	Cite	Foreign Patent Document	Publication Date	Name of Patentee or	Pages, Columns, Lines, Where Relevant	
Initials*	No.1	Country Code <sup>3</sup> -Number <sup>4</sup> -Kind Code <sup>5</sup> (if known)	MM-DD-YYYY	Applicant of Cited Document	Passages or Relevant Figures Appear	
	BA	WO 97/48032	12/18/1997	Kozicki et al. **		T
	BB	WO 99/28914	06/10/1999	Kozicki et al. **		$\vdash$
	ВС					T
	BD					$\vdash$

Examiner	Date	
Signature	Considered	

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant

<sup>&</sup>lt;sup>1</sup> Applicant's unique citation designation number (optional). <sup>2</sup> See attached Kinds Codes of USPTO Patent Documents at <a href="https://www.uspto.gov">www.uspto.gov</a> or MPEP 901.04. <sup>3</sup> Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). <sup>4</sup> For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the application number of the patent document. <sup>5</sup> Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. <sup>6</sup> Applicant is to place a check mark here if English language Translation is attached.

PTO/SB/08B (10-01)

Approved for use through 10/31/2002.OMB 0651-0031

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

s	ubstitute for form 1449B	/PTO		C mplete if Known		
				Application Number	Not Yet Assigned	
l	<b>NFORMATI</b>	ON DIS	CLOSURE	Filing Date	February 10, 2004	
;	STATEMEN	T BY A	PPLICANT	First Named Inventor	John T. Moore	
				Group Art Unit	Not Yet Assigned	
	(use as man	y sheets as n	ecessary)	Examiner Name	Not Yet Assigned	
Sheet	2	of	8	Attorney Docket Number	M4065.0697-A	

		OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T <sup>2</sup>
	CA	Abdel-All, A.; Elshafie,A.; Elhawary, M.M., DC electric-field effect in bulk and thin-film Ge5As38Te57 chalcogenide glass, Vacuum 59 (2000) 845-853. **	
	СВ	Adler, D.; Moss, S.C., Amorphous memories and bistable switches, J. Vac. Sci. Technol. 9 (1972) 1182-1189. **	
	СС	Adler, D.; Henisch, H.K.; Mott, S.N., The mechanism of threshold switching in amorphous alloys, Rev. Mod. Phys. 50 (1978) 209-220. **	$\vdash$
	CD	Afifi, M.A.; Labib, H.H.; El-Fazary, M.H.; Fadel, M., Electrical and thermal properties of chalcogenide glass system Se75Ge25-xSbx, Appl. Phys. A 55 (1992) 167-169.	
	CE	Afifi,M.A.; Labib, H.H.; Fouad, S.S.; El-Shazly, A.A., Electrical & thermal conductivity of the amorphous semiconductor GexSe1-x, Egypt, J. Phys. 17 (1986) 335-342. **	
	CF	Alekperova, Sh.M.; Gadzhieva, G.S., Current-Voltage characteristics of Ag2Se single crystal near the phase transition, Inorganic Materials 23 (1987) 137-139. **	
	CG	Aleksiejunas, A.; Cesnys, A., Switching phenomenon and memory effect in thin-film heterojunction of polycrystalline selenium-silver selenide, Phys. Stat. Sol. (a) 19 (1973) K169-K171. **	
	СН	Angell, C.A., Mobile ions in amorphous solids, Annu. Rev. Phys. Chem. 43 (1992) 693-717. **	
	CI	Aniya, M., Average electronegativity, medium-range-order, and ionic conductivity in superionic glasses, Solid state Ionics 136-137 (2000) 1085-1089. **	
	CJ	Asahara, Y.; Izumitani, T., Voltage controlled switching in Cu-As-Se compositions, J. Non-Cryst. Solids 11 (1972) 97-104. **	
	СК	Asokan, S.; Prasad, M.V.N.; Parthasarathy, G.; Gopal, E.S.R., Mechanical and chemical thresholds in IV-VI chalcogenide glasses, Phys. Rev. Lett. 62 (1989) 808-810 **	
	CL	Baranovskii, S.D.; Cordes, H., On the conduction mechanism in ionic glasses, J. Chem. Phys. 111 (1999) 7546-7557. **	
	СМ	Belin, R.; Taillades, G.; Pradel, A.; Ribes, M., Ion dynamics in superionic chalcogenide glasses: complete conductivity spectra, Solid state Ionics 136-137 (2000) 1025-1029. **	
٠	CN	Belin, R.; Zerouale, A.; Pradel, A.; Ribes, M., Ion dynamics in the argyrodite compound Ag7GeSe5I: non-Arrhenius behavior and complete conductivity spectra, Solid State Ionics 143 (2001) 445-455. **	
	СО	Benmore, C.J.; Salmon, P.S., Structure of fast ion conducting and semiconducting glassy chalcogenide alloys, Phys. Rev. Lett. 73 (1994) 264-267. **	
	СР	Bernede, J.C., Influence du metal des electrodes sur les caracteristiques courant-tension des structures M-Ag2Se-M, Thin solid films 70 (1980) L1-L4. **	
	CQ	Bernede, J.C., Polarized memory switching in MIS thin films, Thin Solid Films 81 (1981) 155-160. **	
	CR	Bernede, J.C., Switching and silver movements in Ag2Se thin films, Phys. Stat. Sol. (a) 57 (1980) K101-K104. **	
	cs	Bernede, J.C.; Abachi, T., Differential negative resistance in metal/insulator/metal structures with an upper bilayer electrode, Thin solid films 131 (1985) L61-L64. **	
	СТ	Bernede, J.C.; Conan, A.; Fousenan't, E.; El Bouchairi, B.; Goureaux, G., Polarized memory switching effects in Ag2Se/Se/M thin film sandwiches, Thin solid films 97 (1982) 165-171. **	
	CU	Bernede, J.C.; Khelil, A.; Kettaf, M.; Conan, A., Transition from S- to N-type differential negative resistance in Al-Al2O3-Ag2-xS 1+x thin film structures, Phys. Stat. Sol. (a) 74 (1982) 217-224. **	
	CV	Bondarev, V.N.; Pikhitsa, P.V., A dendrite model of current instability in RbAg4I5, Solid State lonics 70/71 (1994) 72-76. **	Γ
	CW	Boolchand, P., The maximum in glass transition temperature (Tg) near x=1/3 in GexSe1-x	

PTO/SB/08B (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449B/PTO					Complete if Known				
L INFORMATION BIGGI GOURE F						Application Number	Not Yet Assigned		
l IN	<b>FORI</b>	MATION	1 DI	<b>SCLOSUR</b>	Filing Date	February 10, 2004			
S <sup>-</sup>	STATEMENT BY APPLICANT					First Named Inventor	John T. Moore		
						Group Art Unit Not Yet Assigned			
	(us	se as many sh	eets as	s necessary)		Examiner Name	Not Yet Assigned		
Sheet		3	of	8		Attorney Docket Number	M4065.0697-A		
	Ţ.	Glasses A	cian	Journal of Physics	. (2000	10 700 72 **			
	cx	Boolchand	. P.: E	Bresser, W.J., Mot	bile silv	ver ions and glass form	nation in solid electrolytes,		
	ļ	Nature 410	(200	1) 1070-1073. **					
	CY						e Intermediate Phase in erials, 3 (2001), 703 **		
_	cz	Boolchand.	. P.: S	Selvanathan, D.: V	Vang.	Y.: Georgiev. D.G.: Br	resser, W.J., Onset of rigidity in		
		steps in cha Thorpe and **	alcog d Tich	enide glasses, Pro y, L. (eds.) Kluwe	opertie er Acad	s and Applications of lemic Publishers, the I	Amorphous Materials, M.F. Netherlands, 2001, pp. 97-132.		
	CA1		de all	oy films: role of the			ring of evaporated amorphous and Defect Data Vol. 53-54		
	CB1	order in a C	GeSe:	2 glass, Phys. Re	v. B 25	(1982) 2975-2978. <b>*</b>	tural origin of broken chemical		
	CC1	Boolchand,	, P.; C	Grothaus, J.; Philli	ps, J.C	., Broken chemical or 5 (1983) 183-185. **	der and phase separation in		
	CD1	Boolchand, network co	, P., E nnect	Bresser, W.J., Cor tivity and nanosca	npositi ale che	onal trends in glass transition temperature (Tg), nical phase separation in chalcogenides, Dept. of 99) 45221-0030. **			
	CE1	Boolchand,	, P.; C	Frothaus, J, Molec	cular S	Structure of Melt-Quenched GeSe2 and GeSe2 glasses cond. (Eds. Chadi and Harrison) 17 <sup>th</sup> (1985) 833-36. **			
	CF1	Bresser, W	/.; Bo	olchand, P.; Surar	nyi, P.,	, Rigidity percolation and molecular clustering in 986) 2493-2496. **			
	CG1	Bresser, W	.J.; B	oolchand, P.; Sur	anyi, F	P.; de Neufville, J.P, Intrinsically broken chalcogen s, Journal de Physique 42 (1981) C4-193-C4-196. **			
	CH1	Bresser, W	/.J.; B	oolchand, P.; Sur	anyi, F	P.; Hernandez, J.G., Molecular phase separation and Interactions 27 (1986) 389-392. **			
	CI1	Cahen, D.; Temperatu 258 (1992)	Gilet re, el 271-	, JM.; Schmitz, Cectric field induced 274. **	C.; Che d creat	ernyak, L.; Gartsman, K.; Jakubowicz, A., Room- ation of stable devices in CulnSe2 Crystals, Science			
	CJ1					., Current-controlled negative-resistance behavior and sses, J. Phys. D: Appl. Phys. 27 (1994) 2624-2627. **			
	CK1	Chen, C.H.	.; Tai,		owth ir	duced by Ag photodo	ping in glassy GexSe1-x films,		
,	CL1	Chen, G.; (	Chenç	g, J., Role of nitro	gen in	the crystallization of s oc. 82 (1999) 2934-29			
	CM1	Chen, G.; (	Cheng		ffect of	Si3N4 on chemical d	urability of chalcogenide glass,		
	CN1	Cohen, M.I	H.; Ne		, A., A	model for an amorph	ous semiconductor memory		
	CO1	Croitoru, N	.; Laz	arescu, M.; Pope	scu, C	; Telnic, M.; and Veso	can, L., Ohmic and non-ohmic . Solids 8-10 (1972) 781-786. **		
-	CP1	Dalven, R.;	; Gill,				eta-Ag2Se from 4.2 to 300K, J.		
	CQ1	Davis, E.A.	., Sen	niconductors with		m, Search 1 (1970) 15			
	CR1	Dearnaley,	G.; S		/lorgan	, D.V., Electrical phen	omena in amorphous oxide		
	CS1	Dejus, R.J.	; Sus	man, S.; Volin, K. t. Solids 143 (199	J.; Moi	ntague, D.G.; Price, D	.L., Structure of Vitreous Ag-Ge-		
	CT1		W., TI	nreshold switching			s silicon, Appl. Phys. Lett. 40		

PTO/SB/08B (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Attorney Docket Number M4065.0697-A

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number. Complete if Known Substitute for form 1449B/PTO **Application Number** Not Yet Assigned INFORMATION DISCLOSURE Filing Date February 10, 2004 STATEMENT BY APPLICANT First Named Inventor John T. Moore Group Art Unit Not Yet Assigned (use as many sheets as necessary) Examiner Name Not Yet Assigned

		1 01 0 7 months 3 doctor running 10/4000.0097-A
	CU1	Drusedau, T.P.; Panckow, A.N.; Klabunde, F., The hydrogenated amorphous silicon/nanodisperse metal (SIMAL) system-Films of unique electronic properties, J. Non-Cryst. Solids 198-200 (1996) 829-832. **
	CV1	El Bouchairi, B.; Bernede, J.C.; Burgaud, P., Properties of Ag2-xSe1+x/n-Si diodes, Thin Solid Films 110 (1983) 107-113. **
	CW1	El Gharras, Z.; Bourahla, A.; Vautier, C., Role of photoinduced defects in amorphous GexSe1-x photoconductivity, J. Non-Cryst. Solids 155 (1993) 171-179. **
	CX1	El Ghrandi, R.; Calas, J.; Galibert, G.; Averous, M., Silver photodissolution in amorphous chalcogenide thin films, Thin Solid Films 218 (1992)259-273. **
	CY1	El Ghrandi, R.; Calas, J.; Galibert, G., Ag dissolution kinetics in amorphous GeSe5.5 thin films from "in-situ" resistance measurements vs time, Phys. Stat. Sol. (a) 123 (1991) 451-460. **
	CZ1	El-kady, Y.L., The threshold switching in semiconducting glass Ge21Se17Te62, Indian J. Phys. 70A (1996) 507-516. **
	CA2	Elliott, S.R., A unified mechanism for metal photodissolution in amorphous chalcogenide materials, J. Non-Cryst. Solids 130 (1991) 85-97. **
	CB2	Elliott, S.R., Photodissolution of metals in chalcogenide glasses: A unified mechanism, J. Non-Cryst. Solids 137-138 (1991) 1031-1034. **
	CC2	Elsamanoudy, M.M.; Hegab, N.A.; Fadel, M., Conduction mechanism in the pre-switching state of thin films containing Te As Ge Si, Vacuum 46 (1995) 701-707. **
	CD2	El-Zahed, H.; El-Korashy, A., Influence of composition on the electrical and optical properties of Ge20BixSe80-x films, Thin Solid Films 376 (2000) 236-240. **
_	CE2	Fadel, M., Switching phenomenon in evaporated Se-Ge-As thin films of amorphous chalcogenide glass, Vacuum 44 (1993) 851-855. **
	CF2	Fadel, M.; El-Shair, H.T., Electrical, thermal and optical properties of Se75Ge7Sb18, Vacuum 43 (1992) 253-257. **
	CG2	Feng, X.; Bresser, W.J.; Boolchand, P., Direct evidence for stiffness threshold in Chalcogenide glasses, Phys. Rev. Lett. 78 (1997) 4422-4425. **
	CH2	Feng, X.; Bresser, W.J.; Zhang, M.; Goodman, B.; Boolchand, P., Role of network connectivity on the elastic, plastic and thermal behavior of covalent glasses, J. Non-Cryst. Solids 222 (1997) 137-143. **
	CI2	Fischer-Colbrie, A.; Bienenstock, A.; Fuoss, P.H.; Marcus, M.A., Structure and bonding in photodiffused amorphous Ag-GeSe2 thin films, Phys. Rev. B 38 (1988) 12388-12403. **
	CJ2	Fleury, G.; Hamou, A.; Viger, C.; Vautier, C., Conductivity and crystallization of amorphous selenium, Phys. Stat. Sol. (a) 64 (1981) 311-316. **
	CK2	Fritzsche, H, Optical and electrical energy gaps in amorphous semiconductors, J. Non-Cryst. Solids 6 (1971) 49-71. **
	CL2	Fritzsche, H., Electronic phenomena in amorphous semiconductors, Annual Review of Materials Science 2 (1972) 697-744. **
	CM2	Gates, B.; Wu, Y.; Yin, Y.; Yang, P.; Xia, Y., Single-crystalline nanowires of Ag2Se can be synthesized by templating against nanowires of trigonal Se, J. Am. Chem. Soc. (2001) currently ASAP. **
	CN2	Gosain, D.P.; Nakamura, M.; Shimizu, T.; Suzuki, M.; Okano, S., Nonvolatile memory based on reversible phase transition phenomena in telluride glasses, Jap. J. Appl. Phys. 28 (1989) 1013-1018. **
	CO2	Guin, JP.; Rouxel, T.; Keryvin, V.; Sangleboeuf, JC.; Serre, I.; Lucas, J., Indentation creep of Ge-Se chalcogenide glasses below Tg: elastic recovery and non-Newtonian flow, J. Non-Cryst. Solids 298 (2002) 260-269. **
	CP2	Guin, JP.; Rouxel, T.; Sangleboeuf, JC; Melscoet, I.; Lucas, J., Hardness, toughness, and scratchability of germanium-selenium chalcogenide glasses, J. Am. Ceram. Soc. 85 (2002) 1545-52. **
	CQ2	Gupta, Y.P., On electrical switching and memory effects in amorphous chalcogenides, J. Non-

Sheet

4

of

8

PTO/SB/08B (10-01)

Approved for use through 10/31/2002.OMB 0651-0031

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Su	bstitute for form 1449B/PT	0		C mplete if Known		
				Application Number	Not Yet Assigned	
l II	<b>NFORMATIOI</b>	N DI	SCLOSURE	Filing Date	February 10, 2004	
	STATEMENT	BY A	APPLICANT	First Named Inventor	John T. Moore	
				Group Art Unit *	Not Yet Assigned	
	(use as many sl	heets as	necessary)	Examiner Name	Not Yet Assigned	
Sheet	5	of	8	Attorney Docket Number	M4065.0697-A	

0.1001			OI		<del></del>	Audincy Docker Inc		IVI4003.0097-A			
	Ī.	Cryst. Sol.	3 (197	0) 148-154.	**						
_	CR2	Haberland,	D.R.;	Stiegler, H.,	New expe	riments on the o		e-controlled switching effect in			
	CS2							of composition on the structure	-		
		and electric	cal pro	perties of As	-Se-Cu gla	asses, J. Apply.	Phys.	54 (1983) 1950-1954. **			
	CT2	Hajto, J.; Rose, M.J.; Osborne, I.S.; Snell, A.J.; Le Comber, P.G.; Owen, A.E., Quantization effects in metal/a-Si:H/metal devices, Int. J. Electronics 73 (1992) 911-913. **									
	CU2										
	CV2	Hajto, J.; McAuley, B.; Snell, A.J.; Owen, A.E., Theory of room temperature quantized resistance effects in metal-a-Si:H-metal thin film structures, J. Non-Cryst. Solids 198-200 (1996) 825-828. **									
	CW2	Hajto, J.; C ballistic ele 369. **	wen, A	A.E.; Snell, A effects in me	.J.; Le Co tal-amorph	mber, P.G.; Ros ous silicon struc	e, M.J ctures	J., Analogue memory and , Phil. Mag. B 63 (1991) 349-			
	CX2	Japan. J. A	ppl. P	hys. 13 (197	4) 1163-11	164. **		switching in amorphous Se film,			
	CY2					mory switching p 45 (1994) 459-4		mena in thin films of			
	CZ2			er, R.F., Swi ds 116 (199			amor	phous semiconductor systems,			
	CA3							Se1-x around the stiffness erials 3 (2001) 199-214. **			
	СВЗ	Hu, J.; Sne	II, A.J.	; Hajto, J.; O	wen, A.E.,	Constant curre 1998) 1187-1191	nt forn	ming in Cr/p+a-/Si:H/V thin film			
	CC3	Hu, J.; Hajt	o, J.; S transiti	Snell, A.J.; O	wen, A.E.	Rose, M.J., Ca	pacita	nce anomaly near the metal- film devices, Phil. Mag. B. 74			
	CD3			; Hajto, J.; O g. B 80 (2000			d insta	ability in Cr-p+a-Si:H-V thin film			
	CE3	lizima, S.;	Sugi, N	1.; Kikuchi, N	1.; Tanaka			ermal properties of 0) 153-155. **			
	CF3	Ishikawa, F	R.; Kiku	ıchi, M., Pho	tovoltaic s	tudy on the phot	to-enh	nanced diffusion of Ag in 0) 1061-1066. **			
	CG3	lyetomi, H.	; Vash	ishta, P.; Kal	ia, R.K., Ir		eparat	tion in Ag/Ge/Se glasses:			
	СНЗ	Jones, G.;	Collins	s, R.A., Switc 977) L15-L18	hing prope	erties of thin sele	enium	films under pulsed bias, Thin			
	CI3	switching, I	Phys. ସ	Stat. Sol. (a)	13 (1972)	K105-K109. **		amorphous As2Se7 before			
	CJ3	Joullie, A.M Bull. 8 (197	1.; Mar '3) 433	ucchi, J., Ele 3-442. **	ectrical pro	perties of the an	•	ous alloy As2Se5, Mat. Res.			
	СКЗ	Solids 8-10	(1972	2) 538-543. <sup>1</sup>	#			semiconductors, J. Non-Cryst.			
	CL3	photodopin	g in ch	alcogenide f	film, Japn.	J. Appl. Phys. 2	6 (198		'		
	СМЗ	Kawasaki, (0<=x<=0.5	M.; Ka 571) gl	wamura, J.; asses, Solid	Nakamura state lonic	i, Y.; Aniya, M., I ≲s 123 (1999) 25	onic c 9-269	conductivity of Agx(GeSe3)1-x			
	CN3			the origin o 996) 728-73		nductivity in am	orpho	us chalcogenides, J. Non-Cryst.			

PTO/SB/08B (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number. Complete if Kn wn Substitute for form 1449B/PTO Application Number Not Yet Assigned INFORMATION DISCLOSURE Filing Date February 10, 2004 STATEMENT BY APPLICANT First Named Inventor John T. Moore Group Art Unit Not Yet Assigned (use as many sheets as necessary) Examiner Name Not Yet Assigned

					Examiner Name	INOL YEL ASSIGNED					
Sheet		6	of	8	Attorney Docket Number	M4065.0697-A					
	CO3	137-138 (1991) 1027-1030. **  Korkinova, Ts.N.; Andreichin,R.E., Chalcogenide glass polarization and the type of contacts, J. Non-Cryst. Solids 194 (1996) 256-259. **									
	CP3										
	CQ3	Kotkata, M amorphous	Kotkata, M.F.; Afif, M.A.; Labib, H.H.; Hegab, N.A.; Abdel-Aziz, M.M., Memory switching in amorphous GeSeTI chalcogenide semiconductor films, Thin Solid Films 240 (1994) 143-146.								
	CR3	devices: m 16-19. **	Lakshminarayan, K.N.; Srivastava, K.K.; Panwar, O.S.; Dumar, A., Amorphous semiconductor devices: memory and switching mechanism, J. Instn Electronics & Telecom. Engrs 27 (1981) 16-19. **								
	CS3	chalcogeni	Lal, M.; Goyal, N., Chemical bond approach to study the memory and threshold switching chalcogenide glasses, Indian Journal of pure & appl. phys. 29 (1991) 303-304. **								
	СТЗ	Leimer, F.;	Stotzong Al o	el, H.; Kottwitz, A., Isoth contacts influenced by F	ermal electrical polari	sation of amorphous GeSe films ion, Phys. Stat. Sol. (a) 29					
	CU3	Leung, W.;	Cheu		t., Photoinduced diffus	sion of Ag in GexSe1-x glass,					
	CV3	system, Ja	p. J. A	ppl. Phys. 11 (1972) 16	557-1662. **	effect observed on Se-SnO2					
	CM3	selenium th	nin film	is, Jpn. J. Appl. Phys. 1	1 (1972) 606. **	effect observed on amorphous					
	CX3	V2O5 base	d glas	ses, Journal de Physiq	ue IV 2 (1992) C2-185						
	CY3	M/Se struct	tures (	M=Ni,Bi), Mat. Chem. A	And Phys. 28 (1991) 2						
	CZ3	and constra	aint the	eory, J. Non-Cryst. Soli	ds 240 (1998) 1-21. *						
****	CA4	metallizatio	n cell	devices, J. Non-Cryst.	Solids 299-302 (2002)						
	CB4	Miyatani, S (1973) 423			fuction in (AgxCu1-x)2	Se, J. Phys. Soc. Japan 34					
	CC4	(1959) 996	-1002	**	_	Se, Journal Phys. Soc. Japan 14					
	CD4	Mott, N.F., (1968) 1-17		uction in glasses contain	ning transition metal ic	ons, J. Non-Cryst. Solids 1					
	CE4	transitions	in cha	lcogenide thin films, Jpi	n. J. Appl. Phys. 32 (1	atile memory based on phase 993) 564-569. **					
	CF4	nonvolatile	memo	ojima, K.; Hayakawa, F ory cell based on revers 000) 6157-6161. **	.; Imai, Y.; Kitagawa, Aible phase transition in	A.; Suzuki, M., Submicron n chalcogenide glasses, Jpn. J.					
	CG4	Nang, T.T.;	Okud	la, M.; Matsushita, T.; Y		Electrical and optical hys. 15 (1976) 849-853. **					
	CH4	Narayanan	, R.A.;	Asokan, S.; Kumar, A.	, Evidence concerning	the effect of topology on ev. B 54 (1996) 4413-4415. **					
	Cl4	Neale, R.G	.; Ase		on of amorphous mate	erials to computer memories,					
	CJ4	Ovshinsky	S.R.; i	Fritzsche, H., Reversibl	e structural transforma	ations in amorphous ns 2 (1971) 641-645. **					
	CK4	Ovshinsky,	S.R.,	Reversible electrical sv 68) 1450-1453. **	vitching phenomena in	disordered structures, Phys.					
	CL4				ouse, G.; Spear, W.E.	, New amorphous-silicon					

PTO/SB/08B (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

	Substitute for form 1449B/	РТО		Complete if Known		
				Application Number	Not Yet Assigned	
	INFORMATION	ON DISC	CLOSURE	Filing Date	February 10, 2004	
į	STATEMEN <sup>T</sup>	T BY AF	PLICANT	First Named Inventor	John T. Moore	
				Group Art Unit	Not Yet Assigned	
	(use as many	/ sheets as ned	cessary)	Examiner Name	Not Yet Assigned	
Shee	t 7	of	8	Attorney Docket Number	M4065.0697-A	

	electrically programmable nonvolatile switching device, IEE Proc. 129 (1982) 51-54 **	
CM4	Owen, A.E.; Firth, A.P.; Ewen, P.J.S., Photo-induced structural and physico-chemical changes in amorphous chalcogenide semiconductors, Phil. Mag. B 52 (1985) 347-362. **	
CN4	Owen, A.E.; Le Comber, P.G.; Hajto, J.; Rose, M.J.; Snell, A.J., Switching in amorphous devices, Int. J. Electronics 73 (1992) 897-906.	
CO4	Pearson, A.D.; Miller, C.E., Filamentary conduction in semiconducting glass diodes, App. Phys. Lett. 14 (1969) 280-282. **	
CP4	Pinto, R.; Ramanathan, K.V., Electric field induced memory switching in thin films of the chalcogenide system Ge-As-Se, Appl. Phys. Lett. 19 (1971) 221-223. **	
CQ4	Popescu, C., The effect of local non-uniformities on thermal switching and high field behavior of structures with chalcogenide glasses, Solid-state electronics 18 (1975) 671-681. **	
CR4	Popescu, C.; Croitoru, N., The contribution of the lateral thermal instability to the switching phenomenon, J. Non-Cryst. Solids 8-10 (1972) 531-537. **	
CS4	Popov, A.I.; Geller, I.KH.; Shemetova, V.K., Memory and threshold switching effects in amorphous selenium, Phys. Stat. Sol. (a) 44 (1977) K71-K73. **	-
CT4	Prakash, S.; Asokan, S.; Ghare, D.B., Easily reversible memory switching in Ge-As-Te glasses, J. Phys. D: Appl. Phys. 29 (1996) 2004-2008. **	
CU4	Rahman, S.; Sivarama Sastry, G., Electronic switching in Ge-Bi-Se-Te glasses, Mat. Sci. and Eng. B12 (1992) 219-222. **	
CV4	Ramesh, K.; Asokan, S.; Sangunni, K.S.; Gopal, E.S.R., Electrical Switching in germanium telluride glasses doped with Cu and Ag, Appl. Phys. A 69 (1999) 421-425. **	
CW4	Rose,M.J.;Hajto,J.;Lecomber,P.G.;Gage,S.M.;Choi,W.K.;Snell,A.J.;Owen,A.E., Amorphous silicon analogue memory devices, J. Non-Cryst. Solids 115 (1989) 168-170. **	
CX4	Rose,M.J.;Snell,A.J.;Lecomber,P.G.;Hajto,J.;Fitzgerald,A.G.;Owen,A.E., Aspects of non-volatility in a -Si:H memory devices, Mat. Res. Soc. Symp. Proc. V 258, 1992, 1075-1080. **	
CY4	Schuocker, D.; Rieder, G., On the reliability of amorphous chalcogenide switching devices, J. Non-Cryst. Solids 29 (1978) 397-407. **	-
CZ4	Sharma, A.K.; Singh, B., Electrical conductivity measurements of evaporated selenium films in vacuum, Proc. Indian Natn. Sci. Acad. 46, A, (1980) 362-368.	
CA5	Sharma, P., Structural, electrical and optical properties of silver selenide films, Ind. J. Of pure and applied phys. 35 (1997) 424-427. **	
CB5	Snell, A.J.; Lecomber, P.G.; Hajto, J.; Rose, M.J.; Owen, A.E.; Osborne, I.L., Analogue memory effects in metal/a-Si:H/metal memory devices, J. Non-Cryst. Solids 137-138 (1991) 1257-1262. **	
CC5	Snell, A.J.; Hajto, J.;Rose, M.J.; Osborne, L.S.; Holmes, A.; Owen, A.E.; Gibson, R.A.G., Analogue memory effects in metal/a-Si:H/metal thin film structures, Mat. Res. Soc. Symp. Proc. V 297, 1993, 1017-1021. **	
CD5	Steventon, A.G., Microfilaments in amorphous chalcogenide memory devices, J. Phys. D: Appl. Phys. 8 (1975) L120-L122. **	
CE5	Steventon, A.G., The switching mechanisms in amorphous chalcogenide memory devices, J. Non-Cryst. Solids 21 (1976) 319-329. **	
CF5	Stocker, H.J., Bulk and thin film switching and memory effects in semiconducting chalcogenide glasses, App. Phys. Lett. 15 (1969) 55-57. **	
CG5	Tanaka, K., Ionic and mixed conductions in Ag photodoping process, Mod. Phys. Lett B 4 (1990) 1373-1377. **	
CH5	Tanaka, K.; lizima, S.; Sugi, M.; Okada, Y.; Kikuchi, M., Thermal effects on switching phenomenon in chalcogenide amorphous semiconductors, Solid State Comm. 8 (1970) 387-389. **	
CI5	Thomburg, D.D., Memory switching in a Type I amorphous chalcogenide, J. Elect. Mat. 2 (1973) 3-15. **	
CJ5	Thomburg, D.D., Memory switching in amorphous arsenic triselenide, J. Non-Cryst. Solids 11	

PTO/SB/08B (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Su	bstitute for form 1449B/PTO	)		Complete if Kn wn				
				Application Number	Not Yet Assigned			
11	<b>NFORMATION</b>	1 DI	SCLOSURE	Filing Date	February 10, 2004			
	STATEMENT B	3Y /	APPLICANT	First Named Inventor	John T. Moore			
				Group Art Unit	Not Yet Assigned			
	(use as many she	eets as	necessary)	Examiner Name	Not Yet Assigned			
Sheet	8	of	8	Attorney Docket Number	M4065.0697-A			

SHEEL		0	101	0	Attorney Docket Number	IN14065.0697-A	
		(1972) 113	3-120.	**			T
	CK5	Thornburg in amorpho	D.D.; ous ar	White, R.M., Electric senic triselenide, Jour	nal(??) (1972) 4609-46 <sup>.</sup>		1
	CL5	J. Non-Cry	st. So	lids 261 (2000) 277-28	31. **	xSe1-x and AsxSe1-x systems,	
	CM5	glasses, P	hys. R	ev. B 48 (1993) 14650	)-14652. **	and short-range order in As-Te	
	CN5	glasses Ag relations in	j-Ge-S i fast id	e: lonic conduction ar	nk,A.M.;Dexpert,H.;Lag nd exafs structural inves ors Proceedings of the	garde,J.P., Silver chalcogenide stigation, Transport-structure 6th Riso International	
	CO5			mede, J.C., Silver mo d Films 57 (1979) 49-		films: switching and memory	
	CP5	Ge0.4Se0.	6, J. N	lon-Cryst. Solids 117-	118 (1990) 219-221. **	uced crystallization of amorphous	
	CQ5	filament fo	rmatio	n in As-Te-Ge glass, c	I. Non-Cryst. Solids 2 (		
	CR5	Non-Cryst.	Solid	s 33 (1976) 267-272.	**	amorphous selenium films, J.	
	CS5	M system,	Mat. 0	Chem. And Phys. 21 (	1989) 447-454. **	currents in the thin-film M-GeSe-	
	CT5				; Chen, KL; Tigelaar, ev. Lett. 13 (1992)471-	H.L., High-performance 472. **	
	CU5	App. Phys	Lett.	16 (1970) 72-73. **		amorphous semiconductors,	
	CV5	Tg, with av	erage the s	coordination number,	<m>, in network glasse</m>	of glass transition temperature, es: evidence of a threshold eshold ( <m>=2.4), J. Non-Cryst.</m>	
	CW5	LITHOGRAPH	Y, pp. 2	24-29 (1982). **		ty, SPIE Vol. 333 SUBMICRON	
	CX5	Proceeding: Electrochem	of the	1999 Symposium on So ociety, Inc., 1 - 12 (1999)	lid State Ionic Devices, Ed	n Metal-doped Chalcogenides", ditors - E.D. Wachsman et al., The	
	CY5	Kozicki, et a Microstructu	I., <i>Nan</i> ires, <u>27</u>	oscale effects in devices , 485-488 (2000). **	based on chalcogenide so	olid solutions, Superlattices and	
	CZ5	3,155-159 (	2002).	**		croelectronic Engineering, vol. 63/1-	
	CA6	M.N. Kozick Proceedings	i and M s of the	Mitkova, Silver incorpo     XIX International Congre	ration in thin films of seleness on Glass, Society for C	nium rich Ge-Se glasses, Glass Technology, 226-227 (2001).	
l							

Examiner	Date
Signature	Considered .

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>&</sup>lt;sup>1</sup>Applicant's unique citation designation number (optional). <sup>2</sup>Applicant is to place a check mark here if English language Translation is attached.

F rm PTO-1449

# U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO. SERIAL NO. 09/797,635

APPLICANT

	ı	IST OF ART CITED	BY APP	LICANT		APPLICANT John T. Moore et	aj.			
		(Use several sheets				FILING DATE March 1, 2001		GF 28	ROUP 13	
				U.S. PA	TENT DOCUMENTS	· ·				
*Examiner Initial		Document Number	Date		Name		Class	Subclass	Filing II Appl	Oate ropriate
	^	09/779,963		Moore -	* <del>×</del>				02/08/01	
	AB	09/943,190		Campbell, et	1 at. 🛠 🛠				08/29/01	
	AC	09/943,199		Campbell, et	1 al. * *				06/29/01	
	40	09/943,187	<u> </u>	Campbell, et	1 al. * *		· · · · · ·		08/29/01	
	AE					<u>-</u>				
	AF						-			
	AG						Ť			
	AH		ļ							
	^-							_	-	
	~				<del></del>	· · · · · · · · · · · · · · · · · · ·			<del>- </del>	-
	AK			<u> </u>						
	r	1	<del></del>	FOREIGN I	PATENT DOCUMEN	TS		<u> </u>		
		Document Number	Date		Country		Class	Subclass	Trans Yes	slation No
	AL				-					
	AM									
	AN									
	AO					:				
	AP	l	<u> </u>	<u> </u>					,	1
		OTHE	R REFERENC	CES (including	g Author, Title, Date	e, Pertinent Pages, Et	c.)			
	AR	Hirose, et al., "High :	Speed Memory	Behavior and R	Reliability of an Amorphi	ous As <sub>2</sub> S <sub>3</sub> Film Doped wit	h Agr, July 1	7, 1980, pps	. K187-K190.	**
	AS	Hirose, et al., "Polari	ty-dependent m	emory switching	and behavior of Ag de	endrite in Ag-photodoped a	imorphous As	"S, films", J	ournal of Applied	Physics,
		Vol. 47, No. 6, June,	, 1976, pps. 27	67-2772. 🛨	*					
	AT	Kawaguchi, et al., *O	ptical, electrical	l, and structural	properties of amorphou	is Ag-Ge-S and Ag-Ge-Se	films and co	mparison of	photoinduced and	d thermally
		induced phenomena o	of both systems	", Journal of Ap	oplied Physics, 79, June	1996, pps. 9096-9104.	* *			
EXAMINER					DATE CONSIDER	RED	•	. ,		
*EXAMINER: considered.	Initial if	reference considered, whetle	her or not cit	tation is in co	onformance with MP	EP 609; Draw line th	rough citation	on if not in	conformance	and not

÷									Sheet	2 of 3
Form PT	D-1449	1	U.S PAT	DEPART	MENT OF COMMERCE TRADEMARK OFFICE	ATTY, DOCKET N MI22-1527	0.	SERI 09/75	AL NO. 17,635	
		LIST	OF ART CITE	BY APP	LICANT	APPLICANT John T. Moore et	at.			
			(Use several sheet	s if necessan	) ;	FILING DATE		GRO		
	-		_			March 1, 2001		2813		
					U.S. PATENT DOCUMENTS					_
*Exeminer Initial		Docu Num	ment ber	Date	Name		Class	Subclass	Filling If Appr	Date opriate
	AB									
	AC		-							
	Α0									
	AE									
	AF	<u> </u>				·				
	AG									
	AH					- ·				
	A									
	٨									
	AK			1						
					FOREIGN PATENT DOCUMEN	TS				
		Docu	ment	Date	Country		Class	Subclass	Trans	lation
		Numl							Yes	No
	AL	↓		ļ						
	AM	<b>_</b>		ļ	·				,	
	AN	<b>↓</b>		ļ						
	AO	↓				·····				
	AP	1								
			ОТНЕ	R REFEREN	CES (including Author, Title, Date	, Pertinent Pages, El	c.)			
	AR		Kluge, et al., "Silver	photodiffusion i	n amorphous Ge <sub>s</sub> Se <sub>sse</sub> ", Journal of Non	-Crystatline Solids 124 (	1990) pps. 18	8-193. <del>X</del>	*	

	AR	Kluge, et al., "Silver photodiffusion in amorphous Ge,Se,se.", Journal of Non-Crystalline Solids 124 (1990) pps. 188-193.
-	AS	Kolobov, A.V., "Photodoping of amorphous chalcogenides by metals", Advances in Physics, 1991, Vol. 40, No. 5, pps. 625-684.
	AT	Mitkova, et al. "Dual Chemical Role of Ag as an Additive in Chalcogenide Glasses", Physical Review Letters, Vo 83, No. 19, pps. 3848-3851. 📯 💥

EXAMINER

DATE CONSIDERED

F rm PTO-1449

### U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO.
MI22-1527

APPLICANT
John T. Moore et al.

### LIST OF ART CITED BY APPLICANT (Use several sheets if necessary)

			(030 301610 316613				FILING March 1	DATE . 2001			GRO 2813		
					U.S. PA	TENT DOCUMENTS							
*Examiner Initial		Docu Numi	ment	Date	4	Name			Class	Sub	class	Filing If Appr	Date opriate
	A8												
	42					-							
	AĐ												
	AE												
	AF												
	AG												
	AH												
	AI	ļ											
	٨.												
	AK		<u></u>										
		<del>,</del>			FOREIGN	PATENT DOCUMENT	s						
		Docur Numb	ment er	Date		Country			Class	Subc	dass	Trans	lation
		┢								-		Yes	No
	AL AM	<del> </del>	***			<del></del>				<del>                                     </del>			
	AN												·
	AO												
	AP												
			OTHE	REFERENC	ES (including	Author, Title, Date,	Pertinent	Pages, Et	c.)	_			
	AR		Mitkova, "Insulating e	nd Semiconduct	ing Glasses", E	ditor: P. Boolchand, Wo	ld Scientific	, New Jersey	, 2000, pps.	813-84	s. :	* *	
							-						
	AS												
	AT												
EXAMINER						DATE CONSIDER	D					_	

## U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY. DOCKET N .	SERIAL NO.
MI22-1527	Unknown

LIST OF ART CITED BY APPLICANT (Use several sheets if necessary)

MILE - 1021	0.134.0411	
APPLICANT John T. Moore et al.		
FILING DATE	GROUP	
Filad Harawith	i linknows	

	L		OF ART CITED Use several sheets				John T. Moore e	t al.			
		,,	780 SOVERAL SHEETS		,,		FILING DATE Filed Herewith			OUP nown	
					U.S. PAT	ENT DOCUMENTS	3				
Examiner Initial		Docum Numbe		Date		Name	<del>-</del>	Class	Subclass		Date ropriate
	•	09/732	2,968		Gilton (as F	iled) **				12/08/2000	
	AB	5,238,	862	08/24/93	Blalock et a	· **		437	52		
	AC	5,360,	981	11/01/94	Owen et al.	* *		257	4		
	AD	5,761,	115	06/02/98	Kozicki et al	· * *		365	182		
	Æ	5,896,	312	04/20/99	Kozicki et al	· * *		365	153		
:	AF	5,914,	893	06/22/99	Kozicki et al	. * *		365	107		
	AG	6,084,	796	07/04/00	Kozicki et al	. * *		365	153		_
	АН										
	Al										
	٠									ļ	
	AK										
					FOREIGN P	ATENT DOCUMEN	KTS			1	
		Docum Numbe		Date		Country		Class	Subclass		lation
	<del></del>	<del> </del>			<u> </u>					Yes	No
	AL AM	<del>                                     </del>			<u> </u>	•				<del> </del>	
	AN								<del> </del>		
	AO					· · · · · · · · · · · · · · · · · · ·					
	AP										
			OTHER	REFERENCE	S (including	Author, Title, Dat	e, Pertinent Pages,	Etc.)			
	AR		Axon Technologies	Corporation, T	ECHINOLOGY D	ESCRIPTION: Progri	emmeble Metallization C	ell (PMC),	<b>*</b> *		
			(pre-July 7,	2000) pp. 1-6	ı <b>,</b>					-	
	AS		Shimakawa et al., F	Photoinduced e	iffects and meti	stability in emorphou	s semiconductors and i	nsulators,	* *		
			44 ADVANCE	S IN PHYSICS (	No. 6, 475-588	(Taylor & Francis Lte	d. 1995)				
	AT						. ——				
		İ									
	<u> </u>					DATE CONSIDE		-			

### U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO. MI22-1527

SERIAL NO. 09/797,635

LIST OF ART CITED BY APPLICANT (Use several sheets if necessary)

APPLICANT: John T. Moor et al.

FILING DATE March 1, 2001 GROUP 2813

				11:	S. PATENT DOCUMENTS				
Examiner	<u> </u>	Document		<del></del>		Glass	Cubatan	-	
Initial		Numb		Date	Name	Class	Subclass	If App	g Date ropriate
	*	09/9	21,518		Moore (as filed and as amended) ★★			08/01/	2001
	AB	10/0	061,825		Gilton et al. (as filed) → ★			01/31/	2002
	AC	4,40	5,710	09/20/83	Balasubramanyam et al. 🛩 🛩	430	311		
	AD	4,41	9,421	12/06/83	Wichelhaus et al. ★ ¥	429 191			
	AE	4,49	9,557	02/12/85	Holmberg et al. ★ ×	365	163		
•	AF	5,31	5,131	05/24/94	Kishimoto et al. 🗶 🗶	257	57		
	AG	5,35	50,484	09/27/94	Gardner et al. ★★	156	628		
	AH	5,51	2,328	04/30/96	Yoshimura et al. 🗡 🛪	427	498		
-	Al	5,51	12,773	04/30/96	Wolf et al. ★★	257	471		
	٠,	5,846,889 12/08/98 Harbison et al. * * 6,117,720 09/12/00 Harshfield * *		12/08/98	Harbison et al. 🛪 🛪	501	40		
	AK			438	238	238			
				FORE	IGN PATENT DOCUMENTS	<u> </u>	1	1	
		Docu Numt		Date	Country	Class	Subclass	Trans	station_
		110111					<u> </u>	Yes	No
	AL.	00/4	18196 A1	17.08.00	WIPO (Kozicki et al.) 😽 🛩				L_
	AM	02/2	21542 A1	14.03.02	WIPO (Kozicki et al.) 🗴 🛪				
	AN								<u> </u>
						<b></b>			
	AP					<u> </u>	<u> </u>		
			OTHER REF	ERENCES (ir	cluding Author, Title, Date, Pertinent P	ages, Etc	<b>:.)</b>		
·					· · · · · · · · · · · · · · · ·				
	AR		:					٠	
	AR							•	
	AR			-					
				-					

#### U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO. MI22-1527

SERIAL NO. 09/797,635

LIST OF ART CITED BY APPLICANT (Use several sheets if necessary)

APPLICANT: John T. Moore et al.

					FILING DATE March 1, 2001		GR 28	OUP 13		
	•		U.	S. PATENT DOCUMEN	тѕ					
*Examiner Initial		Document Number	Date	Name		Class Subclass			Filing Date If Appropriate	
	<b>M</b>	6,143,604	11/07/00	Chiang et al. ★★		438	253			
	AB	6,177,338 B1	01/23/01	Liaw et al. 😿 🛠		438	629			
	AC	6,350,679 B1	02/26/02	McDaniel et al. 🏃	*	438	634			
	AD					_				
	AE									
	AF	2								
	AG									
	АН				· ·= · · · · · · · · · · · · · · · · ·	-				
	AI									
	۲.									
	AK									
			FOR	EIGN PATENT DOCUM	ENTS					
		Document Number	Date	Country		Class	Subclass	Trans	Translation	
	AL			<u>·</u>				Yes	No	
	AM									
	AN									
	AO							<u> </u>		
	AP						<u> </u>			
		OTHER REF	ERENCES (i	ncluding Author, Title, D	ate, Pertinent Pa	ges, Etc	.)			
	AR									
	AS		<del> </del>							
									-	
	AT		<del> </del>							
			· · ·	<u> </u>						

. . . . .

### U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO. MI22-1527

SERIAL NO. 09/797,635

LIST OF ART CITED BY APPLICANT (Use several sheets if necessary)

APPLICANT: John T. Moore et al.

FILING DATE March 1, 2001 GROUP 2813

110	DATEN	וד האינו	IMFNTS

Examiner Initial		Document Number	Date	Name	Class	Subclass	Filing t	
	<b>M</b> .	3,622,319	11/23/71	Sharp **	96	27		
	A5	3,743,847	07/03/73	Boland 🗻 🗶	250	510		
	AC	4,269,935	05/26/81	Masters et al. * *	430	323		
	. 40	4,312,938	01/26/82	Drexler et al. ★ ★	430	496		
	AE	4,320,191	03/16/82	Yoshikawa et al. XX	430	296		
	AF	4,795,657	01/03/89	Formigoni et al. ★ ★	427	96		
	<b>AG</b>	4,847,674	07/11/89	Silwa et al. ★ ★	357	67		,
	АН	5,177,567	01/05/93	Klersy et al. * *	257	4		
	Al	5,219,788	06/15/93	Abernathey et al. 💥 💥	437	187		
	٨	5,726,083	03/10/98	Takaishi Ұ 🗶	438	210		
	AK	5,751,012	05/12/98	Wolstenholme et al. ***	257	5		
			FOF	REIGN PATENT DOCUMENTS		<u>.</u>		
		Document Number	Date	Country	Class	Subclass	Transi	lation No
		1			7			$\overline{}$

ATUED DEFEDENCES	displaying Author	Title Date	Dartinant Dagge	E4- \

		OTHER REPERCISES (Maturing Author, Title, Date, Feltinetit Pages, Etc.)						
	AN	Das et al., Theory of the characteristic curves of the silver chalcogenide glass inorganic						
		photoresists, 54 APPL. PHYS. LETT., No. 18, pp. 1745-1747 (May 1989).						
_	Α0	Helbert et al., Intralevel hybrid resist process with submicron capability, SPIE Vol. 33						
		SUBMICRON LITHOGRAPHY pp. 24-29 (1982) **						
	AP	Hilt, DISSERTATION: Materials Characterization of Silver Chalcogenide Programmable Metallization						
		Cells, Arizona State University, pp. title page-114 (UMI Company, May 1999). ★★						

**EXAMINER** 

DATE CONSIDERED

#### U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO. MI22-1527

SERIAL NO. 09/797,635

LIST OF ART CITED BY APPLICANT (Use several sheets if necessary)

APPLICANT: John T. Moore et al.

FILING DATE March 1, 2001 **GROUP** 2813

#### **U.S. PATENT DOCUMENTS**

*Examiner Initial		Document Number	Date	Name	Class	Subclass	Filing Date If Appropriate
	M <sup>-</sup>	5,789,277	08/04/98	Zahorik et al.	438	95	
	AB	5,841,150	11/24/98	Gonzalez et al. 🚜 🛠	257	3	
	AC	5,920,788	07/06/99	Reinberg 🗲 *	438	466	
	AD	5,998,066	12/07/99	Block et al. ★★	430	5	
	Æ	6,077,729	06/20/00	Harshfield ★★	438	128	
	AF	6,236,059 B1	05/22/01	Wolstenholme et al. ⊁⊁	257	3	
	AG	6,297,170 B1	10/02/01	Gabriel et al.	438	738	
	AH	6,300,684 B1	10/09/01	Gonzalez et al. 🗲 🗡	257	774	
	Ai	6,316,784 B1	11/13/01	Zahorik et al. 🗡 🗶	257	3	
	٧	6,329,606 B1	12/11/01	Freyman et al. ★ ⊁	174	260	
	AK	6,348,365	02/19/02	Moore et al. ⊁ ⊁	438	130	
		•	FOR	EIGN PATENT DOCUMENTS			

TOREIGNT ATENT BOOGMENTO											
		Document Number	Date	Country	Class	Subclass	Translation				
							Yes	No			
	AL										
	AM										

#### OTHER REFERENCES (including Author, Title, Date, Pertinent Pages, Etc.)

АН	Holmquist et al., Reaction and Diffusion in Silver-Arsenic Chalcogenide Glass Systems,
	62 J. AMER. CERAMIC SOC., Nos. 3-4, pp. 183-188 (MarApr. 1979).   ★ ★
AO	Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive
	sputter etching in SF, 42 APPL. PHYS. LETT., No. 7, pp. 592-594 (April 1983). **
AP	Kawaguchi et al., Mechanism of photosurface deposition, 164-166 J. Non-Cryst. Solids,
Ī	pp. 1231-1234 (1993). ★ ★

**EXAMINER** 

DATE CONSIDERED

F m PTO-1449

### U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO. MI22-1527

SERIAL NO. 09/797,635

LIST OF ART CITED BY APPLICANT (Use several sheets if necessary)

APPLICANT: John T. Moore et al.

FILING DATE March 1, 2001 GROUP 2813

			<del></del>				ــاـــــــــــــــــــــــــــــــــــ		
			U	.S. PATENT DOCUMEN	тѕ		·		
*Examiner Initial		Document Number	Date	Name		Class	Subclass	Filing Date If Appropriate	
	^	6,376,284 B1	04/23/02	Gonzalez et al. 🗦	<i>e</i> * 4	38	129		
	AB	6,391,688 B1	05/21/02	Gonzalez et al. 🗶	<b>★</b> 4	138	128		
	AC	6,414,376 B1	07/02/02	Thakur et al. →	€ <u>i,</u> 2	257	640		
	AD	6,418,049 B1	07/09/02	Kozicki et al. 💥	× 3	365	174		<u> </u>
	AE.	6,423,628 B1	07/23/02	·Lietal. 🛠 🗡	4	138	622		
	AF								
	AG								
	AH								
	A								
	W								
	AK								
			FOF	REIGN PATENT DOCUM	MENTS				
	!	Document Number	Date	Country		Class	Subclas8		lation
	AL.		1				<del></del>	Yes	No
	AM	<del> </del>	<del> </del>						<del>                                     </del>
		ŀ	1 1	•					1
		OTHER RE	FERENCES	(including Author, Title,	Date, Pertinent Pag	es, Etc.	)		<u> </u>
	AN	<del>  </del>		(including Author, Title, l				effects of	
	11	McHardy et	al., The dis		morphous chalcog	enides	and the	<del>.</del>	
	11	McHardy et	al., The dis	solution of metals in a	morphous chalcogo	enides	and the	055-4075	
	AN	McHardy et	al., The dis	solution of metals in a	morphous chalcogo	enides	and the	055-4075	
	AN	McHardy et electro Miyatani, El	al., The dis n and ultrav ectrical Porp	solution of metals in a	morphous chalcogo	enides	and the s., pp. 40 7 (1958).	055-4075 **	(1987).
	AN	McHardy et  electro  Miyatani, El	al., The dis n and ultrav ectrical Porp al. Kinetic :	solution of metals in a violet radiation, 20 J. Presenties of $Ag_z$ Se, 13 J.	morphous chalcogomers. C: Solid Star Phys. Soc. Japan ation of Silver, 47	enides	and the s., pp. 40 7 (1958).	055-4075 **	(1987).

# U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO. MI22-1527

SERIAL NO. 09/797,635

LIST OF ART CITED BY APPLICANT (Use several sheets if necessary)

APPLICANT: John T. Moore et al.

·							FILING DATE March 1, 200		GRO 2813		
					J.S. PATE	NT DOCUME	NTS				
*Examiner Initial		Docum Numbe		Date		Name		Class	Subclass	Filing Date If Appropriate	
	<b>M</b>	10/077,867			Campbell et al. (as filed) *					02/20/2002	
	AB	10/2	32,757		Li, et	al. **				08/29/2	2002
	AC						5			1	
	AD										
	Æ										
	AF	<u> </u>					·				
	AG						<u> </u>				
	AH			ļ				<u> </u>	ļ	-	
	Ai						<del></del>	-			=-
					_						
	AK			<u> </u>				<u> </u>	<u> </u>		
		T		Date FO	REIGN PA	ATENT DOCU		Class	Subclass	Toro	slation
		Numb		Office		Country	,	Class	Subclass	Yes	No
	, AL					-					
	AM									1	<u>l</u>
			OTHER REF	ERENCES	(including	Author, Title,	Date, Pertinent	Pages, Et	c.)		
	м		Owens et al.	, Metal-Ch	alcogenid	e Photoresist	s for High Reso	olution Lit	hography	and Sub-	Micron
-			Structu	res, Nanos	TRUCTURE	PHYSICS AND	FABRICATION, F	p. 447-4	51 (Acade	mic Press	s, 1989)
	<b>40</b>		Safran et al.	, TEM stu	dy of Ag	Se developed	f by the reaction	n of polye	crystalline	silver film	ns and
			seleniu	m, 317 Тн	IN SOLID F	ILMS, pp. 72	-76 (1998). <i>*</i>	*			
	AP		Shimizu et a	il., The Ph	oto-Erasa	ble Memory	Switching Effect	of Ag P	hoto-Dope	d Chalcos	genide ————
			Glasse	s, 46 Bul.	CHEM. SO	C. JAPAN, N	o. 12, pp. 3662	-3665 (De	cember 1	973). <del>×</del>	<del>*</del>
EXAMINER						DATE CONS	IDERED				

#### U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO. MI22-1527

SERIAL NO. 09/797,635

LIST OF ART CITED BY APPLICANT (Use several sheets if necessary)

APPLICANT: John T. Moore et al.

FILING DATE

**GROUP** 2813

### March 1, 2001 **U.S. PATENT DOCUMENTS** Date Document Class Name Subclass Filing Date If Appropriate Initial Number AB AD ΑE AF AG AK **FOREIGN PATENT DOCUMENTS** Document Number Date Country Translation Yes No OTHER REFERENCES (including Author, Title, Date, Pertinent Pages, Etc.) Somogyi et al., Temperature Dependence of the Carrier Mobility in Ag<sub>2</sub>Se Layers Grown on NaCl and SiO, Substrates, 74 Acta Physica Hungarica, No. 3, pp. 243-255 (1994). & & AO Tai et al., Multilevel Ge-Se film based resist systems, SPIE Vol. 333 SUBMICRON LITHOGRAPHY, pp. 32-39 (March 1982). ×× Tai et al., Submicron optical lithography using an inorganic resist/polymer bilevel scheme, \* \* 17 J. Vac. Sci. Technol., No. 5, pp. 1169-1176 (Sept./Oct. 1980). **EXAMINER** DATE CONSIDERED

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in

conformance and not considered. Include copy of this form with next communication to applicant.

#### U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO. MI22-1527

SERIAL NO. 09/797,635

LIST OF ART CITED BY APPLICANT (Lise several sheets if necessary)

APPLICANT: John T. Moore et al.

FILING DATE

**GROUP** 

### March 1, 2001 2813 **U.S. PATENT DOCUMENTS** Date Class Subclass Name Examine Initial **Document** Filing Date If Appropriate AB AC ΑĐ Æ AH A w **FOREIGN PATENT DOCUMENTS** Document Date \*Country Class Subclass Number No OTHER REFERENCES (including Author, Title, Date, Pertinent Pages, Etc.) West, DISSERTATION: Electrically Erasable Non-Volatile Memory Via electrochemical Deposition of Multifractal Aggregates, Arizona State University, pp. title page-168 (UMI Co., May 1998). ×× West et al., Equivalent Circuit Modeling of the Ag|Asa26Sa36Aga46|Ag System Prepared by Photodissolution of Ag, 145 J. Electrochem. Soc., No. 9, pp. 2971-2974 (September 1998). Yoshikawa et al., A new inorganic electron resist of high contrast, 31 APPL. PHYS. LETT., No. 3, \* \* pp. 161-163 (August 1977). DATE CONSIDERED **EXAMINER**

F m PTO-1449

# U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO. MI22-1527

SERIAL NO. 09/797,635

LIST OF ART CITED BY APPLICANT (Use several sheets if necessary)

APPLICANT: John T. Moore t al.

							FILING DA March 1, 2		GRO 2813		
				(	U.S. PATE	NT DOCUMEN	тѕ				
*Examiner Initial		Document Number		Date Name		Class		Subclass	Filing If Appro	Date opriate	
	*										
	AB										
	AC										
·	AD.										
	AE										
	AF										
	AG		***								
	АН										
	A										
	~								 	<u> </u>	
	AK									<u> </u>	
	1			FC	REIGN PA	TENT DOCUM	ENTS		Τ		
		Docu Numb		Date		Country		Class	Subclass	Yes	No No
	AL										
	АМ								<u> </u>	<u> </u>	
			OTHER REF	ERENCES	(including	Author, Title, I	Date, Pertine	nt Pages, Etc	s.)	· · · · · · · · · · · · · · · · · · ·	
	AN		Yoshikawa e	al., Dry	developme	nt of Se-Ge I	norganic pho	otoresist, 36	APPL. PH	YS. LETT.,	No. 1,
			pp. 107	'-109 (Jan	uary 1980)	). <b>*</b> *					
	<b>A</b> O							•			
	AP										
EXAMINER	\ 					DATE CONSIL	DERED				